

✓ Save \$\$, save the environment

✓ Cheaper hot water

✓ Government installation rebate



Congratulations! You've taken the first step towards reducing your family's energy bills.

When you upgrade your hot water system you can relax knowing that you will get up to 80% savings on your hot water bills. But that's not all you get - with the current Government initiative you'll also get a significant rebate towards the cost of installation and the knowledge that you are saving our environment.

It's the smart decision:



GOVERNMENT REBATE


Whether you currently have an electric or gas hot water system there is a Government rebate for you and we will help you claim it.

With the support of the Government rebate we can now offer our premium heat pumps and fully approved installation services at a heavily discounted cost to eligible households Your installation will be low cost, allowing you to start enjoying those savings sooner - and it could even be FREE!

YOU GET:

- ✓ A high quality, energy saving water service.
- ✓ Australia's No.1 selling hot water heat pump
- ✓ Greener, lower cost energy
- √ 5 years manufacturer's warranty

Long term savings you can count on



- - Accredited local installers
 - Australian design & support

There's a hot water heat pump for every household

- Australia's No.1 selling hot water heat pump
- High quality, efficient and energy saving
- Industry leading technology and innovation

Ecogenica® R-Series







	Control of the second		The state of the s
NAME	FR 215	FR 260	FR 290
Model	EG-215FR	EG-260FR	EG-290FR
Design	Split System	All-in-one	Split System
Litreage	215L	260L	290L
Heating Capacity (Watts)	3150	3750	3750
Input Power (Watts)	630	670	750
COP	5	4.85	5
Heat Pump Recovery Rate	67.7	57.6	80.6
1st Hour Delivery	210	279	247.7
People suitable for	1-3	2-4	4-6
Refrigerant	R290	R290	R290
Daily Water Temp (°C)	55	55	55
Tank Size (mm) H x D	1815 x 510	2115 x 600	1850 x 570
Heat Pump Size (mm) H x W x D	545 x 780 x 276	Built into Tank	545 x 780 x 276
Operating Range (°C)	From -7 to +43	From -7 to +43	From -7 to +43
Power Supply	220-240 / 50	220-240 / 50	220-240 / 50
Designed	Australia	Australia	Australia





Note: Recovery Rate $@40^{\circ}\text{C}$ rise (L/hr) Is the number of litres of water that can be heated through a 40°C temperature rise in one hour - air temperature is 20°C , 1st hour delivery = 70% of storage plus recovery rate.

All listed specification are measured at inlet water temperature $\pm 14^{\circ}$ C; Dry Bulb Temperature $\pm 19^{\circ}$ C, wet bulb temperature $\pm 15^{\circ}$ C and hot water set point $\pm 50^{\circ}$ C. Recovery rates vary with environmental conditions. This water heater is with fully welded enamel tank meeting the design requirements: AS 2712 and AS 60335. This water heater complies with AS 3498 and AS/NZS 1677.2. Maximum allowable pressure:4.4MPa

BENEFITS OF ECOGENICA HOT WATER HEAT PUMPS:



Temp Operating RangeOperates in ambient
temp. ranges of -7 to +40
degrees celcius



Auto Disinfection
Periodically heating the water
beyond its set temp to prevent the
growth of bacteria and legionella



Reliable Supply Hot water whenever you need it, night or day, hail, rain or shine



Quality DesignFeaturing a Toshiba compressor and designed in Melbourne for years of trouble free and reliable hot water



Low Operating Noise Engineered to operate with low noise levels, only 47dBA



OUR ECOGENICA HEAT PUMPS USE A SMALL AMOUNT OF ENERGY TO MOVE HEAT FROM ONE LOCATION TO ANOTHER. HEAT IS ABSORBED BY OZONE-FRIENDLY R290, A NATURAL REFRIGERANT WHICH DOES NOT CONTRIBUTE TO GLOBAL WARMING.

We support the Australian government in its commitment to transforming our energy supply system into one that is cheap, clean and reliable. This lays the foundation for future generations to enjoy more secure, reliable and affordable energy.

You can choose an Ecogenica product safe in the knowledge that our innovative technology is focused on energy AND environment savings. Our hot water pumps are CFC free and utilise renewable energy, extracted from the air.

